



**1 Identification**

- **Product identifier**
- **Trade name:** **HERCULAN Court S { A }**
- **Article number:** 708755/15
- **Application of the substance / the mixture** Coating compound/ Surface coating/ paint
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
**HERCULAN B.V.**  
Energieweg 6  
4231 DJ Meerkerk  
The Netherlands  
Phone +31 183 354700  
Fax: +31 183 354740  
e-mail: info@herculan.com
- **Information department:** -  
- Enviromental department
- **Emergency telephone number:**  
+49 (0) 6131 19240 [24 h - 365 d] - Giftinformationszentrale Mainz  
or  
+31 (0) 183 354 700 [Mo - Fr. 8 - 17 o'clock] - HERCULAN

**2 Hazard(s) identification**

- **Classification of the substance or mixture** The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**  
 Health = 0  
Fire = 1  
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**  
 Health = 0  
Fire = 1  
Reactivity = 0
- **Other hazards** -
- **Results of PBT and vPvB assessment** -
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture / Resin consisting of the following components
- **Dangerous components:**

|             |                                 |                    |         |
|-------------|---------------------------------|--------------------|---------|
| 25322-68-3  | Polyethyleenglycol              |                    | 5 - 10% |
| 34590-94-8  | (2-methoxymethylethoxy)propanol | Flam. Liq. 4, H227 | ≤ 2.5%  |
| 111109-77-4 | dipropylene glycoldimethylether | Flam. Liq. 4, H227 | ≤ 2.5%  |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.


**4 First-aid measures**

- **Description of first aid measures**
- **General information:**  No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.


(Contd. on page 2)

US

**Trade name: HERCULAN Court S { A }**

- **After skin contact:** Generally the product does not irritate the skin. (Contd. of page 1)
- **After eye contact:**  Rinse opened eye for several minutes under running water.  
If symptoms persist consult doctor.
- **After swallowing:** -
- **Information for doctor:** -
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from frost.  
Store in dry conditions.  
Store in a cool place.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 3)

US

Trade name: **HERCULAN Court S { A }**

(Contd. of page 2)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

|   |   |
|---|---|
| <b>25322-68-3 Polyethyleenglycol</b>              |   |
| WEEL  | Long-term value: 10 mg/m <sup>3</sup> (H); MW>200   |
| <b>34590-94-8 (2-methoxymethylethoxy)propanol</b> |   |
| PEL   | Long-term value: 600 mg/m <sup>3</sup> , 100 ppm<br>Skin  |
| REL   | Short-term value: 900 mg/m <sup>3</sup> , 150 ppm<br>Long-term value: 600 mg/m <sup>3</sup> , 100 ppm<br>Skin |
| TLV   | Short-term value: 909 mg/m <sup>3</sup> , 150 ppm<br>Long-term value: 606 mg/m <sup>3</sup> , 100 ppm<br>Skin |

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Store protective clothing separately.  
Do not eat, drink, smoke or sniff while working.

· **Breathing equipment:**



Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation.  
Use suitable respiratory protective device when high concentrations are present.

· **Recommended filter device for short term use:**

Combination filter A-P2

· **Protection of hands:**



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.  
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR  
Natural rubber, NR

· **Eye protection:**



Tightly sealed goggles

· **Body protection:**



Protective work clothing

US

(Contd. on page 4)

Trade name: **HERCULAN Court S { A }**

(Contd. of page 3)

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Fluid  
**Color:** According to product specification  
**Odor:** Characteristic  
**Odor threshold:** Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:**

96 °C (205 °F)

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

**Decomposition temperature:** Not determined.

· **Auto igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.  
**Upper:** Not determined.

· **Vapor pressure at 20 °C (68 °F):**

23 hPa (17 mm Hg)

· **Density at 20 °C (68 °F):**

1.0615 g/cm<sup>3</sup> (8.858 lbs/gal)

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):**

Not determined.

· **Viscosity:**

**Dynamic:** Not determined.  
**Kinematic:** Not determined.

· **Solvent content:**

**Organic solvents:** 2.6 %  
**Water:** 53.7 %

· **Solids content:**

15.8 %

· **Other information**

No further relevant information available.

**10 Stability and reactivity**

· **Reactivity**

No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **Possibility of hazardous reactions**

No dangerous reactions known.

· **Conditions to avoid**

No further relevant information available.

· **Incompatible materials:**

No further relevant information available.

(Contd. on page 5)

US

Trade name: **HERCULAN Court S { A }**

**Hazardous decomposition products:** No dangerous decomposition products known. (Contd. of page 4)

**11 Toxicological information**

**Information on toxicological effects**  
**Acute toxicity:**  
**Primary irritant effect:**  
**on the skin:** No irritant effect.  
**on the eye:** No irritating effect.  
**Sensitization:** No sensitizing effects known.  
**Additional toxicological information:** The product is not subject to classification according to internally approved calculation methods for preparations. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

|            |                                      |    |
|------------|--------------------------------------|----|
| 13463-67-7 | titanium dioxide                     | 2B |
| 9002-88-4  | Ethylene, homopolymer                | 3  |
| 7631-86-9  | silicon dioxide, chemically prepared | 3  |
| 1330-20-7  | Xyleen (mixture)                     | 3  |
| 100-41-4   | ethylbenzene                         | 2B |
| 108-94-1   | cyclohexanone                        | 3  |
| 108-88-3   | toluene                              | 3  |

**NTP (National Toxicology Program)**  
None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)**  
None of the ingredients is listed.

**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability:** No further relevant information available.  
**Behavior in environmental systems:**  
**Bioaccumulative potential:** No further relevant information available.  
**Mobility in soil:** No further relevant information available.  
**Additional ecological information:**  
**General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects:** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation:** Smaller quantities can be disposed of with household waste.  
**Uncleaned packagings:**  
**Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Trade name: **HERCULAN Court S { A }**

(Contd. of page 5)

**14 Transport information**

**UN-Number**  
**DOT, ADR, ADN, IMDG, IATA** Void

**UN proper shipping name**  
**DOT, ADR, ADN, IMDG, IATA** Void

**Transport hazard class(es)**  
**DOT, ADR, ADN, IMDG, IATA**  
**Class** Void

**Packing group**  
**DOT, ADR, IMDG, IATA** Void

**Environmental hazards:**  
**Marine pollutant:** No

**Special precautions for user** Not applicable.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**UN "Model Regulation":** Void

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Sara**  
**Section 355 (extremely hazardous substances):**  
None of the ingredient is listed.

**Section 313 (Specific toxic chemical listings):**  
None of the ingredients is listed.

**TSCA (Toxic Substances Control Act):**

|             |   |
|-------------|---|
| 13463-67-7  | titanium dioxide                                    |
| 25322-68-3  | Polyethyleenglycol                                  |
| 34590-94-8  | (2-methoxymethylethoxy)propanol                     |
| 111109-77-4 | dipropyleneglycoldimethylether                      |
| 20344-49-4  | iron hydroxide oxide                                |
| 68186-91-4  | Copper chromite spinel pigment Cu(Cr,Fe)2O4         |
| 9002-88-4   | Ethylene, homopolymer                               |
| 7631-86-9   | silicon dioxide, chemically prepared                |
| 25322-69-4  | Polypropylenglycol                                  |
| 7732-18-5   | water, distilled, conductivity or of similar purity |

**Proposition 65**  
**Chemicals known to cause cancer:**  
 13463-67-7 titanium dioxide

**Chemicals known to cause reproductive toxicity for females:**  
None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**  
None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**  
None of the ingredients is listed.

**Cancerogenity categories**  
**EPA (Environmental Protection Agency)**  
 1330-20-7 Xyleen (mixture) 1

Trade name: **HERCULAN Court S { A }**

(Contd. of page 6)

|          |              |    |
|----------|--------------|----|
| 100-41-4 | ethylbenzene | D  |
| 108-88-3 | toluene      | II |

**· TLV (Threshold Limit Value established by ACGIH)**

|            |                      |    |
|------------|----------------------|----|
| 13463-67-7 | titanium dioxide     | A4 |
| 121-44-8   | triethylamine        | A4 |
| 1330-20-7  | Xyleen (mixture)     | A4 |
| 100-41-4   | ethylbenzene         | A3 |
| 77-58-7    | dibutyltin dilaurate | A4 |
| 108-94-1   | cyclohexanone        | A3 |
| 108-88-3   | toluene              | A4 |

**· MAK (German Maximum Workplace Concentration)**

|            |                  |    |
|------------|------------------|----|
| 13463-67-7 | titanium dioxide | 3A |
| 100-41-4   | ethylbenzene     | 3A |
| 108-94-1   | cyclohexanone    | 3B |

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

|            |                  |  |
|------------|------------------|--|
| 13463-67-7 | titanium dioxide |  |
|------------|------------------|--|

- GHS label elements** Void
- Hazard pictograms** Void
- Signal word** Void
- Hazard statements** Void

**· National regulations:**

**· Technical instructions (air):**

| Class  | Share in % |
|--------|------------|
| Wasser | 53.7       |
| NK     | 2.6        |

**· Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- VOC**
- VOC EU [%]** 2.57 %
- VOC EU [g/l]** 63.5 g/l
- VOC USA** 63.5 g/l / 0.53 lb/gl
- VOC CH** 2.56 %
- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS:** Environmental Department
- Contact:** Dr. Michael Kissel
- Date of preparation / last revision** 08/03/2016 / 14
- Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMIS: Hazardous Materials Identification System (USA)
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - NIOSH: National Institute for Occupational Safety
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - Fam. Liq. 4: Flammable liquids – Category 4

(Contd. on page 8)

Trade name: **HERCULAN Court S { A }**

(Contd. of page 7)

\* Data compared to the previous version altered.