

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

· Product identifier

HERCULAN EP DUO { A } · Trade name:

Article number: 601901/19

Application of the substance / the mixture Coating compound/ Surface coating/ paint

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

HERCULAN B.V. Energieweg 6

4231 DJ Meerkerk The Netherlands Phone +31 183 354700 Fax: +31 183 354740 e-mail: info@herculan.com

Information department: Enviromental department

Emergency telephone number:

+49 (0) 6131 19240 [24 h - 365 d] - Giftinformationszentrale Mainz

+31 (0) 183 354 700 [Mo - Fr. 8 - 17 o'clock] - HERCULAN

2 Hazard(s) identification

Classification of the substance or mixture



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms GHS05, GHS07

Signal word Danger

Hazard-determining components of labeling: 3-[(6-aminotrimethylhexyl)amino]propiononitrile

polyoxyalkyleenamin

3-aminomethyl-3,5,5-trimethylcyclohexylamine Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements P260 Do not breathe dusts or mists.

P280 Wear protective gloves.

P280 Wear eve protection / face protection. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

HERCULAN

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A }

(Contd. of page 1) P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

· HMIS-ratings (scale 0 - 4)

Health = 3 Fire = 1

Reactivity - 0

Health = 3

Fire = 1

Reactivity = 0

Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Description:

There are no additional ingredients present which are classified as hazardous to health or the

environment and on this basis need to be mentioned in this section.

· Dangerous components:			
93941-62-9 3-[(6-aminotrimethylhexyl)amino]propiononitrile	10 - 25%		
♠ Acute Tox. 3, H301; ♠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ↑ Skin Sens. 1, H317			
polyoxyalkyleenamin	5 - 10%		
♦ Acute Tox. 3, H301; Acute Tox. 3, H311; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318			
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2.5 - 5%		
Skin Corr. 1B. H314; 🕜 Acute Tox. 4. H302; Acute Tox. 4. H312; Skin Sens. 1. H317	1		

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours: therefore medical observation for at least 48 hours after the accident.

After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Immediately call a doctor. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both

acute and delayed

Indication of any immediate medical attention

and special treatment needed

No further relevant information available.

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:



CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A }

Special hazards arising from the substance or

mixture During heating or in case of fire poisonous gases are produced.

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Protective equipment: Mount respiratory protective device

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

and emergency procedures

Reference to other sections

Personal precautions, protective equipment

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and

cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against

explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and

receptacles:

No special requirements.

Information about storage in one common

storage facility:

Not required.

Further information about storage conditions: Protect from frost.

Keep receptacle tightly sealed.

Store in dry conditions.

Store in a cool place.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:

No further data: see item 7.

Control parameters

· Components with limit values that require

monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have

to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A }

(Contd. of page 3)

Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.

Only during spraying without adequate removal by suction.

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present.

· Recommended filter device for short term use:

Protection of hands:

· Material of gloves

Eye protection:

Body protection:

· Breathing equipment:

Combination filter A-P2

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of the following materials are suitable:

Penetration time of glove material

Nitrile rubber, NBR Natural rubber, NR

Tightly sealed goggles



Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance: Form:

Color: According to product specification Odor: Characteristic

Odor threshold: Not determined.

 pH-value at 20 °C (68 °F): 10

Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) Flash point: 190 °C (374 °F)

· Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name:	HERCULA	N EP	DUO	{ A	}
-------------	---------	------	-----	-----	---

		(Contd. of pag
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
Density at 20 °C (68 °F):	1.05 g/cm³ (8.762 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	47.8 %	
Solids content:	30.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

· Thermal decomposition / conditions to be

avoided:

No decomposition if used according to specifications. No dangerous reactions known.

Possibility of hazardous reactions Conditions to avoid

No further relevant information available.

Incompatible materials: Hazardous decomposition products: No further relevant information available. No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin:

on the eye: Strong caustic effect

Caustic effect on skin and mucous membranes. Strong irritant with the danger of severe eye injury.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information: The product shows the following dangers according to internally approved calculation methods

for preparations: Harmful

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)



Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A }

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available.

· Additional ecological information:

General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach

sewage system.

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled after thorough and proper

UN2735

cleaning.

14 Transport information

· UN-Number

DOT, ADR, IMDG, IATA

· UN proper shipping name

· DOT

· ADR

IMDG, IATA

Amines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine, 3-[(6-

aminotrimethylhexyl)amino]propiononitrile) 2735 Amines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine, 3-[(6-

aminotrimethylhexyl)amino[propiononitrile)

AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine, 3-[(6-

aminotrimethylhexyl)amino]propiononitrile)

· Transport hazard class(es)

DOT



· Class 8 Corrosive substances · Label

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A } (Contd. of page 6) ADR Class 8 (C7) Corrosive substances Label IMDG, IATA Class 8 Corrosive substances . I ahel 8 Packing group DOT. ADR. IMDG. IATA Environmental hazards: Marine pollutant: No Special precautions for user Warning: Corrosive substances Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category Segregation Code SG35 Stow "separated from" acids. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE, 3-[(6-AMINOTRIMETHYLHEXYL)] AMINOIPROPIONONITRILE), 8, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):
 - polyoxyalkyleenamin
 - 3-aminomethyl-3,5,5-trimethylcyclohexylamine

7732-18-5 water, distilled, conductivity or of similar purity

(Contd. on page 8)

· VOC USA

· VOC CH



Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A } (Contd. of page 7) Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Cancerogenity categories EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · MAK (German Maximum Workplace Concentration) None of the ingredients is listed. NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05, GHS07 Signal word Danger · Hazard-determining components of labeling: 3-[(6-aminotrimethylhexyl)amino]propiononitrile polyoxyalkyleenamin 3-aminomethyl-3,5,5-trimethylcyclohexylamine H302 Harmful if swallowed. · Hazard statements H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction · Precautionary statements P260 Do not breathe dusts or mists. P280 Wear protective gloves. P280 Wear eye protection / face protection. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. P272 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P301+P330+P331 If swallowed: Rinse mouth, Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · National regulations: · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water. · voc · VOC EU [%] 0.00 %

0.0 g/l / 0.00 lb/gl

0.00 %

(Contd. on page 9)

HERCUL

Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016 Reviewed on 08/02/2016

Trade name: HERCULAN EP DUO { A }

· Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

· Date of preparation / last revision

· Abbreviations and acronyms:

Environmental Department Dr. Michael Kissel

08/02/2016 / 18

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.

