Hercul

Safety Data Sheet acc. to OSHA HCS

Page 1/8

Reviewed on 08/02/2016

Printing date 08/02/2016

1 Identification Product identifier HERCULAN GLP MW { A } · Trade name Article number: 702750/14 Application of the substance / the mixture Coating compound/ Surface coating/ paint Details of the supplier of the safety data sheet Manufacturer/Supplier: HERCULAN B.V. Energieweg 6 4231 DJ Meerkerk The Netherlands Phone +31 183 354700 Fax: +31 183 354740 e-mail: info@herculan.com Information department: Enviromental department Emergency telephone number: +49 (0) 6131 19240 [24 h - 365 d] - Giftinformationszentrale Mainz +31 (0) 183 354 700 [Mo - Fr. 8 - 17 o'clock] - HERCULAN 2 Hazard(s) identification Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS). Label elements GHS label elements Void · Hazard pictograms Void Signal word Void Hazard statements Void

Health = 0


Reactivity = 0

Reactivity = 0

Health - 0

Fire = 1

Fire = 1



4 First-aid measures

Classification system:

NFPA ratings (scale 0 - 4)

HMIS-ratings (scale 0 - 4)

Results of PBT and vPvB assessment

Other hazards

Description of first aid measures General information:



After inhalation:

Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

5 - 10%

≤2.5%

<2.5%



Safety Data Sheet acc. to OSHA HCS

Printing date 08/02/2016

Trade name: HERCULAN GLP MW { A } (Contd. of page 1) After skin contact: Generally the product does not irritate the skin. After eye contact: **O**+ Rinse opened eye for several minutes under running water. After swallowing: If symptoms persist consult doctor. · Information for doctor: Most important symptoms and effects, both acute and delayed No further relevant information available Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures · Extinguishing media · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. 6 Accidental release measures · Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Do not allow to enter sewers/ surface or ground water Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). · Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling: Precautions for safe handling No special precautions are necessary if used correctly. Information about protection against explosions and fires: No special measures required. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. · Further information about storage conditions: Protect from frost. Store in dry conditions Store in a cool place. Specific end use(s) No further relevant information available.

No further data; see item 7.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

(Contd. on page 3)

Page 2/8

Reviewed on 08/02/2016

HERCUL	. <mark>∆</mark> N
--------	--------------------

Trade name: HERCULAN GLP MW { A }

· Components with limit values that require monitoring at the workplace:

34590-94-8 (2-methoxymethylethoxy)propanol PEL Long-term value: 600 mg/m3, 100 ppm

> Short-term value: 900 mg/m3, 150 ppm Long-term value: 600 mg/m³, 100 ppm

> Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m3, 100 ppm

Printing date 08/02/2016

· Control parameters

Skin

Skin

Skin Additional information:

REL

TLV

25322-68-3 Polyethyleenglycol WEEL Long-term value: 10 mg/m3 (H): MW>200

Safety Data Sheet acc. to OSHA HCS

Page 3/8

Reviewed on 08/02/2016

Hercul

Printing date 08/02/2016

Safety Data Sheet acc. to OSHA HCS

Page 4/8

Reviewed on 08/02/2016

Trade name: HERCULAN GLP MW { A }

(Contd. of page 2)		(Contd. of page 3)
	• 9 Physical and chemical properties	
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.	Information on basic physical and chemica General Information	l properties
	Appearance: Form:	Fluid
	Color: · Odor: · Odor threshold:	According to product specification Characteristic Not determined.
	· pH-value:	Not determined.
	Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
	· Flash point:	96 °C (205 °F)
The lists that were valid during the creation were used as basis.	· Flammability (solid, gaseous):	Not applicable.
	· Ignition temperature:	
	Decomposition temperature:	Not determined.
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.	· Auto igniting:	Product is not selfigniting.
Store protective clothing separately.	· Danger of explosion:	Product does not present an explosion hazard.
Do not eat, drink, smoke or sniff while working.	• Explosion limits:	
Only during spraying without adequate removal by suction.	Lower: Upper:	Not determined. Not determined.
Use suitable respiratory protective device in case of insufficient ventilation.	• Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Use suitable respiratory protective device when high concentrations are present.	· Density at 20 °C (68 °F): · Relative density	1.0572 g/cm³ (8.822 lbs/gal) Not determined.
The glove material has to be impermeable and resistant to the product/ the	Vapor density Evaporation rate	Not determined. Not determined.
The selection of the suitable gloves does not only depend on the material, but also on further	Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
marks of quality and varies from manufacturer to manufacturer. As the product is a preparation	· Partition coefficient (n-octanol/water):	Not determined.
of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.	 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.	Solvent content: Organic solvents: Water:	2.5 % 32.9 %
Nitrile rubber, NBR Natural rubber, NR	Solids content: • Other information	28.5 % No further relevant information available.
Tightly sealed goggles	• 10 Stability and reactivity	

Reactivity	No further relevant information available.	
· Chemical stability		
 Thermal decomposition / conditions to be 		
avoided:	No decomposition if used according to specifications.	
 Possibility of hazardous reactions 	No dangerous reactions known.	
 Conditions to avoid 	No further relevant information available.	
 Incompatible materials: 	No further relevant information available.	
•		(Contd. on nage 5

Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Breathing equipment:

Recommended filter device for short term use:

Protection of hands:

Material of gloves

· Penetration time of glove material

· As protection from splashes gloves made of the following materials are suitable:

· Eye protection:

Body protection:

Protective work clothing

(Contd. on page 4)

Hercul

Safety Data Sheet acc. to OSHA HCS

Page 5/8

Printing a	late	08/02/20	16
------------	------	----------	----

Reviewed on 08/02/2016

Trade name: HERCULAN GLP MW { A }

· Hazardous decomposition products:

(Contd. of page 4)

11 Toxicological information

 Information on toxicological effects Acute toxicity: 	
Primary irritant effect:	
on the skin:	No irritant effect.
· on the eye:	No irritating effect.
Sensitization:	No sensitizing effects known.
· Additional toxicological information:	The product is not subject to classification according to internally approved calculation methods for preparations:
	When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

No dangerous decomposition products known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
13463-67-7	titanium dioxide	2B	
25038-54-4	Polyamide	3	
9002-88-4	Ethylene, homopolymer	3	
7631-86-9	silicon dioxide, chemically prepared	3	
1330-20-7	Xyleen (mixture)	3	
100-41-4	ethylbenzene	2B	
108-94-1	cyclohexanone	3	
108-88-3	toluene	3	
•	· NTP (National Toxicology Program)		
None of the ingredients is listed.			
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

12 Ecological information

· Toxicity	
· Aquatic toxicity:	No further relevant information available.
 Persistence and degradability 	No further relevant information available.
 Behavior in environmental systems: 	
· Bioaccumulative potential	No further relevant information available.
· Mobility in soil	No further relevant information available.
Additional ecological information:	
· General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water
	Do not allow undiluted product or large quantities of it to reach ground water, water course o
	sewage system.
 Results of PBT and vPvB assessment 	
· PBT:	Not applicable.
· vPvB:	Not applicable.
· Other adverse effects	No further relevant information available.

· Waste treatment methods · Recommendation:

Smaller quantities can be disposed of with household waste

(Contd. on page 6)

Hercul

Safety Data Sheet acc. to OSHA HCS

Page 6/8

Printing date 08/02/2016

Reviewed on 08/02/2016

Trade name: HERCULAN GLP MW { A }

(Contd. of page 5)

· Uncleaned packagings: · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information · UN-Number DOT, ADR, ADN, IMDG, IATA Void · UN proper shipping name DOT, ADR, ADN, IMDG, IATA Void · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA Class Void · Packing group DOT, ADR, IMDG, IATA Void Environmental hazards: • Marine pollutant: No · Special precautions for user Not applicable Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable · UN "Model Regulation": Void

15 Regulatory information

Sara	alth and environmental regulations/legislation specific for the substance or mixture
Section 35	5 (extremely hazardous substances):
None of the i	ingredient is listed.
· Section 31	3 (Specific toxic chemical listings):
None of the i	ingredients is listed.
· TSCA (Tox	ric Substances Control Act):
13463-67-7	7 titanium dioxide
25322-68-3	Polyethyleenglycol
25038-54-4	1 Polyamide
20344-49-4	i iron hydroxide oxide
68186-91-4	Copper chromite spinel pigment Cu(Cr,Fe)2O4
34590-94-8	(2-methoxymethylethoxy)propanol
111109-77-4	l dipropyleneglycoldimethylether
9002-88-4	Ethylene, homopolymer
7631-86-9	silicon dioxide, chemically prepared
25322-69-4	l Polypropylenglycol
7732-18-5	water, distilled, conductivity or of similar purity
· Propositio	n 65
· Chemicals	s known to cause cancer:
13463-67-7	titanium dioxide
· Chemicals	known to cause reproductive toxicity for females:
None of the i	ingredients is listed.
· Chemicals	known to cause reproductive toxicity for males:
None of the i	ingredients is listed.
	(Contd. on page

Hercul

Printing date 08/02/2016

Safety Data Sheet acc. to OSHA HCS

Page 7/8

Reviewed on 08/02/2016

Hercul

Safety Data Sheet acc. to OSHA HCS

Page 8/8

Reviewed on 08/02/2016

Printing date 08/02/2016

Trade

rade name: HERCULAN GLP MW { A }		
• * Data compared to the previous version	HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPuS: very Persistent and very Bioaccumulative NIOSH: National institute for Occupational Safety OSH: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4	(Contd. of page 7)
altered.		

de name: HERCULAN GLP MW {	A }	
	(C/	ontd. of pag
Chemicals known to cause developm	nental toxicity:	
None of the ingredients is listed.		
Cancerogenity categories		
EPA (Environmental Protection Agen	icy)	-
1330-20-7 Xyleen (mixture)		
100-41-4 ethylbenzene		
108-88-3 toluene		
TLV (Threshold Limit Value establish	ied by ACGIH)	
13463-67-7 titanium dioxide		
121-44-8 triethylamine		
1330-20-7 Xyleen (mixture)		
100-41-4 ethylbenzene		
77-58-7 dibutyItin dilaurate		
108-94-1 cyclohexanone		
108-88-3 toluene		
MAK (German Maximum Workplace C	Concentration)	
13463-67-7 titanium dioxide		
100-41-4 ethylbenzene		
108-94-1 cyclohexanone		
NIOSH-Ca (National Institute for Occu	upational Safety and Health)	
13463-67-7 titanium dioxide		
GHS label elements	Void	
Hazard pictograms	Void	
Signal word	Void	
Hazard statements	Void	
National regulations:		
Technical instructions (air):	Class Share in %	
	Wasser 32.9	
	NK 2.5	
Water hazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.	
VOC		
VOC EU [%]	2.48 %	
VOC EU [g/I]	40.3 q/l	
VOCUSA	40.3 g/l / 0.34 lb/gl	
VOC CH	2.48 %	

VOC CH 2.48 % · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing SDS: 	Environmental Department
Contact:	Dr. Michael Kissel
 Date of preparation / last revision 	08/02/2016 / 13
 Abbreviations and acronyms: 	RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accound européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association IATA: International Air Transport Association ACGIH: American Contenence of Governmental Industrial Hygienists EIINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Intentory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

(Contd. on page 8) – us –