




1 Identification

- Product identifier
- Trade name: **HERCULAN UN 700 { A }**
- Article number: 701411/24
- Application of the substance / the mixture: Glue/ Sizing agent
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: **HERCULAN B.V.**
Energieweg 6
4231 DJ Meerkerk
The Netherlands
Phone +31 183 354700
Fax: +31 183 354740
e-mail: info@herculan.com
- Information department: Environmental department
- Emergency telephone number: +49 (0) 6131 19240 [24 h - 365 d] - Giftinformationszentrale Mainz
or
+31 (0) 183 354 700 [Mo - Fr. 8 - 17 o'clock] - HERCULAN

2 Hazard(s) identification

- Classification of the substance or mixture:  GHS08 Health hazard
Carc. 1A H350 May cause cancer.
- Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS).
- GHS label elements: GHS08
- Hazard pictograms: Danger
- Signal word: Danger
- Hazard-determining components of labeling: Quartz (SiO2)
- Hazard statements: H350 May cause cancer.
- Precautionary statements: P280 Wear protective gloves/protective clothing/eye protection/face protection.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:
- NFPA ratings (scale 0 - 4):  Health = 0
Fire = 0
Reactivity = 0
- HMIS-ratings (scale 0 - 4):  HEALTH 0 Health = 0
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0
- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients



- Chemical characterization: Mixtures
- Description: There are no additional ingredients present which are classified as hazardous to health or the environment and on this basis need to be mentioned in this section.

(Contd. on page 2)


US

Trade name: **HERCULAN UN 700 { A }**


(Contd. of page 1)

Dangerous components:		
14808-60-7 Quartz (SiO2)	 Carc. 1A, H350	5 - 10%
25322-69-4 Polypropylenglycol	 Acute Tox. 4, H302	5 - 10%
Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
Generally the product does not irritate the skin.
- After skin contact:  Rinse opened eye for several minutes under running water.
- After eye contact: If symptoms persist consult doctor.
- After swallowing:
- Information for doctor: No further relevant information available.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:  CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Reference to other sections: No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- Handling:
- Precautions for safe handling: No special measures required.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 3)




US

Trade name: **HERCULAN UN 700 { A }**

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from frost.
Keep receptacle tightly sealed.
Store in dry conditions.
Store in a cool place.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not eat, drink, smoke or sniff while working.
- **Breathing equipment:**
 -  Only during spraying without adequate removal by suction.
 - Use suitable respiratory protective device in case of insufficient ventilation.
 - Use suitable respiratory protective device when high concentrations are present.
- **Recommended filter device for short term use:** Combination filter A-P2
- **Protection of hands:**
 -  Protective gloves
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves:** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **As protection from splashes gloves made of the following materials are suitable:** Nitrile rubber, NBR
Natural rubber, NR
- **Eye protection:**
 -  Tightly sealed goggles

(Contd. on page 4)

US

Trade name: **HERCULAN UN 700 { A }**

(Contd. of page 3)

- **Body protection:**



Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Color:** According to product specification
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** 201 °C (394 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** > 255 °C (> 491 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapor pressure at 20 °C (68 °F):** 1 hPa (1 mm Hg)
- **Density at 20 °C (68 °F):** 1.81329 g/cm³ (15.132 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
- **Dynamic:** Not determined.
- **Kinematic:** Not determined.
- **Solvent content:**
- **Organic solvents:** 0.0 %
- **Water:** 0.0 %
- **Solids content:** 93.3 %
- **Other information:** No further relevant information available.

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.

(Contd. on page 5)

US

Trade name: **HERCULAN UN 700 { A }**

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**

14808-60-7	Quartz (SiO2)	1
1318-02-1	Zeoliet	3
14808-60-7	Quartz (SiO2)	1

- **NTP (National Toxicology Program)**

14808-60-7	Quartz (SiO2)	K
14808-60-7	Quartz (SiO2)	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Void

(Contd. on page 6)
US

Trade name: **HERCULAN UN 700 { A }**

(Contd. of page 5)

- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Void
- **Packing group**
- **DOT, ADR, IMDG, IATA** Void
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

7727-43-7	barium sulphate, natural
-----------	--------------------------

- **TSCA (Toxic Substances Control Act):**

7727-43-7	barium sulphate, natural
8001-79-4	Castor oil
14808-60-7	Quartz (SiO2)
25322-69-4	Polypropylenglycol
25791-96-2	Polyetherpolycol

- **Proposition 65**
- **Chemicals known to cause cancer:**

14808-60-7	Quartz (SiO2)
------------	---------------

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenity categories**

- **EPA (Environmental Protection Agency)**

7727-43-7	barium sulphate, natural	D, CBD(inh), NL(oral)
-----------	--------------------------	-----------------------

- **TLV (Threshold Limit Value established by ACGIH)**

14808-60-7	Quartz (SiO2)	A2
14808-60-7	Quartz (SiO2)	A2

- **MAK (German Maximum Workplace Concentration)**

14808-60-7	Quartz (SiO2)	1
14808-60-7	Quartz (SiO2)	1

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

14808-60-7	Quartz (SiO2)
14808-60-7	Quartz (SiO2)

(Contd. on page 7)
US

Trade name: **HERCULAN UN 700 { A }**

(Contd. of page 6)

· GHS label elements	The product is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms	GHS08
· Signal word	Danger
· Hazard-determining components of labeling:	Quartz (SiO ₂)
· Hazard statements	H350 May cause cancer.
· Precautionary statements	P280 Wear protective gloves/protective clothing/eye protection/face protection. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P308+P313 IF exposed or concerned: Get medical advice/attention. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
· National regulations:	
· Additional classification according to Decree on Hazardous Materials:	Carcinogenic hazardous material group III (dangerous).
· Information about limitation of use:	Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
· VOC	
· VOC EU [%]	0.00 %
· VOC USA	0.0 g/l / 0.00 lb/gl
· VOC CH	0.00 %
· Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:	Environmental Department
· Contact:	Dr. Michael Kissel
· Date of preparation / last revision	08/02/2016 / 23
· Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Carc. 1A: Carcinogenicity – Category 1A

* **Data compared to the previous version altered.**